


# VX-Pi148G

*Gigabit Poe Passive Injector*



## Powerful Versatile Solution

The Versa Technology VX-Pi148G is an IEEE 802.3af compatible Power Over Ethernet Passive Injector, which provides DC 48V over Ethernet cables. The VX-Pi148G Power Over Ethernet Injector supplies DC Voltage into a Cat.5 cable allowing the cable between the injector (VX-Pi148G) and End Device to simultaneously transfer data and power. The maximum distance from switch through VX-Pi 148G to end of device is up to 100 meters, which is the limit of ethernet connection.

The VX-Pi148G Power Over Ethernet Passive Injector supplies power over pairs 4 & 5 and 7 & 8. Data Pins are 1 & 2 and 3 & 6.

## Specifications



### Wattage

- 24 Watts

### Dimensions

- 74 x 54 x 25 mm

### Standard

- 802.3af compatible

---

---

<b>DC Jack Pin Size</b>	<ul style="list-style-type: none"><li>• 2.1 mm (0.083 in)</li></ul>
<b>Output Voltage</b>	<ul style="list-style-type: none"><li>• 48 V</li></ul>
<b>Output Rating</b>	<ul style="list-style-type: none"><li>• 0.5 A</li></ul>
<b>Input Voltage</b>	<ul style="list-style-type: none"><li>• 48 V DC</li></ul>
<b>Input Current</b>	<ul style="list-style-type: none"><li>• 0.65 Maximum</li></ul>
<b>Operating Temperature</b>	<ul style="list-style-type: none"><li>• -40 ~ 75° C</li></ul>
<b>Storage Temperature</b>	<ul style="list-style-type: none"><li>• -40 ~ 85° C</li></ul>

